



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Paper No. 20050218

In re Patent No. 6,786,920 :
Issue Date: September 7, 2004 : **DECISION DISMISSING**
Appl. No.: 09/981,337 : **PETITION**
Filed: October 16, 2001 : **37 CFR 1.324**
For: RADIALLY EXPANDABLE STENTED TUBULAR :
PTFE GRAFTS :
:
:
:

This is a decision on the request under 37 CFR 1.48 filed July 23, 2004. In view of the fact that the patent has already issued, the request under 37 CFR 1.48 has been treated as a petition to correct inventorship under 37 CFR 1.324.

The petition is dismissed.

A petition to correct inventorship as provided by 37 CFR 1.324 requires (1) a statement from each person who is being added as an inventor that the inventorship error occurred without any deceptive intention on their part, (2) a statement from the current named inventors (including any "inventor" being deleted) who have not submitted a statement as per "(1)" either agreeing to the change of inventorship or stating that they have no disagreement in regard to the requested change, (3) a statement from all assignees of the parties submitting a statement under "(1)" and "(2)" agreeing to the change of inventorship in the patent; such statement must comply with the requirements of 37 CFR 3.73(b); and (4) the fee set forth in 37 CFR 1.20(b). This petition lacks item(s) (2) and (3).

Corrine M McDermott
Supervisory Patent Examiner
Art Unit 3738
Patent Examining Group 3700

Edwards Lifesciences LLC
Law Department
One Edwards Way
Irvine1, CA 92614